

ATV/UTV TIRES

Deestone | Knobby. D929



PAGE 2

Deestone | Swamp Witch. D932



PAGE 2

GBC | Dirt Commander



PAGE 2

GBC | Dirt Devil A/T



PAGE 3

GBC | Dirt Devil. X/T



PAGE 3

GBC | Afterburn Street Force



PAGE 3

GBC | Afterburn



PAGE 4

GBC | Dirt Tamer



PAGE 4

GBC | Gator



PAGE 4

GBC | Grim Reaper



PAGE 5

GBC | Spartacus



PAGE 5

GBC | XC-Master



PAGE 5

GBC | Kanati Mongrel



PAGE 6

Titan | 489 X/T



PAGE 6

Titan | 589 M/T



PAGE 7

Titan | Fast Trekker



PAGE 7



This tire comes with a staggered knobby tread design and excellent all-around performance. Common sizes and quality construction make this a dependable option.

DEESTONE | KNOBBY: D929



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
549342	Front/Rear	22X11-8	4	22.32	9.41	15	5	330	Tubeless
549452	Front/Rear	25X12-9	4	23.78	10.59	17	5	430	Tubeless



This tire offers heavy-duty construction, deep lug and excellent side-load capability. This 6-ply rated ATV tire is an excellent option for larger ATVs and UTV side-by-sides.

DEESTONE | SWAMP WITCH: D932



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
549500	Front/Rear	25X8-12	6	25.08	8.82	28	7	340	Tubeless
549505	Front/Rear	25X10-12	6	25	9.8	28	7	420	Tubeless



This all-terrain tire is a super-tough 8-ply rated bias tire that offers excellent puncture resistance. Its spiked tread design provides additional biting edges for better traction in all terrains

GBC | Dirt Commander



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
542500	Front/Rear	25X8.00-12	8	25.2	8.3	28	7 to 12	340 to 480	Tubeless
542505	Front/Rear	25X10.00-12	8	25.2	9.9	28	7 to 12	420 to 580	Tubeless
542510	Front/Rear	26X9.00-12	8	26	9	28	7 to 12	410 to 570	Tubeless
542515	Front/Rear	26X11.00-12	8	26	10.5	28	7 to 12	750 to 920	Tubeless
542520	Front/Rear	27X9.00-12	8	27.3	8.5	27	7 to 12	750 to 920	Tubeless
542525	Front/Rear	27X11.00-12	8	27.3	10.5	25	7 to 12	780 to 960	Tubeless
542530	Front/Rear	26X9.00-14	8	26	9	28	7 to 14	700 to 1000	Tubeless
542535	Front/Rear	26X11.00-14	8	26	10.5	28	7 to 14	730 to 1045	Tubeless
542540	Front/Rear	27X9.00-14	8	27	9	28	7 to 14	750 to 1075	Tubeless
542545	Front/Rear	27X11.00-14	8	27	10.5	28	7 to 14	780 to 1120	Tubeless



This tire offers exceptional traction in dirt, gravel, mud, hard pack, wet and sandy terrains at both low and high speeds. The premium rubber compound and computer-generated tread design, along with deep, reinforced and dimpled lugs, combine to create a tire that is perfect for hunting, fishing, farming or recreation.

GBC | Dirt Devil: A/T



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
543015	Front	22X8.00-10	6	21.9	8	20	7	275	Tubeless
543025	Front	23X8.00-10	6	23.4	8.3	20	7	300	Tubeless
543040	Front	23X8.00-11	6	23.4	7.6	20	7	290	Tubeless
543045	Front	24X8.00-11	6	24	8.1	20	7	320	Tubeless
543050	Front	24X9.00-11	6	23.8	8.6	20	7	365	Tubeless
543060	Front	25X8.00-11	6	25.1	8.1	20	7	355	Tubeless
543070	Front	25X8.00-12	6	25.2	8.3	20	7	340	Tubeless
543000	Rear	22X11.00-8	6	22.3	10.9	20	7	395	Tubeless
543005	Rear	22X11.00-9	6	22.5	10.8	20	7	395	Tubeless
543010	Rear	25X12.00-9	6	25.2	11.6	20	7	496	Tubeless
543020	Rear	22X11.00-10	6	22.2	10.7	20	7	385	Tubeless
543030	Rear	23X10.00-10	6	23.4	10.2	20	7	375	Tubeless
543035	Rear	24X11.00-10	6	24	11.1	20	7	440	Tubeless
543037	Rear	25X12.00-10	6	24.8	11.7	20	7	495	Tubeless
543055	Rear	24X10.00-11	6	24.2	10.1	20	7	395	Tubeless
543065	Rear	25X10.00-11	6	25.2	10	20	7	430	Tubeless
543075	Rear	25X10.00-12	6	25.4	9.9	20	7	420	Tubeless



This tire offers exceptional traction in dirt, gravel, mud, hard pack, wet and sandy terrains at both low and high speeds. The premium rubber compound and computer-generated tread design, along with deep, reinforced and dimpled lugs, combine to create a tire that is perfect for hunting, fishing, farming or recreation.

GBC | DIRT DEVIL: X/T



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
543080	Front/Rear	26X10.00-12	6	25.9	9	39	7	460	Tubeless
543082	Front/Rear	26X12.00-12	6	25.9	11.4	39	7	520	Tubeless
543090	Front/Rear	28X10.00-12	6	27.8	9	39	7	450	Tubeless



This tire is designed for street application only and is both DOT & ECE (European e-mark) approved. It features aggressive directional siped tread, great for wet and dry traction, and is speed rated at 87 mph.

GBC | AFTERBURN STREET FORCE



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
542250	Front/Rear	25X8.00R12	4	25.1	8.1	10	15	500	Tubeless
542255	Front/Rear	25X10.00R12	4	25	10	10	12	500	Tubeless



This high-performance radial ATV tire delivers uncompromised traction in both mixed and hard-packed terrains. Its unique and aggressive tread design promotes superior straight-line and high-speed cornering capabilities, and its radial carcass construction also provides a smooth ride.

GBC | Afterburn



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
542000	Front	21X7.00R10	6	21	7.1	16	7	235	Tubeless
542005	Front	25X8.00R12	6	25.2	8.3	18	7	340	Tubeless
542015	Front	26X8.00R12	6	25.9	8.3	18	7	460	Tubeless
542010	Rear	25X10.00R12	6	25.4	9.9	18	7	420	Tubeless



This all-terrain, utility tire is designed for the rider who needs size, strength and an aggressive tread design. It is available in six sizes that fit a variety of utility vehicles. The 6-ply rated construction offers extra strength and durability in the toughest conditions and the deep, heavy tread design provides excellent traction in many different types of terrain

GBC | Dirt Tamer



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
543500	Front/Rear	25X8.00-12	6	25	8	28	7	340	Tubeless
543505	Front/Rear	25X9.00-12	6	25	8.7	28	7	385	Tubeless
543510	Front/Rear	26X9.00-12	6	26	9	28	7	410	Tubeless
543515	Front/Rear	26X12.00-12	6	26	10	28	7	520	Tubeless
543520	Front/Rear	27X9.00-12	6	27	9	28	7	440	Tubeless
543525	Front/Rear	27X12.00-12	6	27	10	28	7	550	Tubeless



This is a tough ATV tire. Built with a 6-ply rated carcass, it offers extra durability, weight capacity and puncture resistance. The tread lugs overlap the centerline to deliver great traction with a smooth ride, unlike many pure mud tires. It offers excellent performance in wet, muddy conditions and also handles mixed or even hard terrain.

GBC | Gator



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
543980	Front/Rear	22X10.00-9	6	21.9	10	28	7	355	Tubeless
543990	Front/Rear	22X7.00-11	6	21.9	7.1	28	7	245	Tubeless
544000	Front/Rear	25X8.00-12	6	24.8	8.1	28	7	342	Tubeless
544005	Front/Rear	25X10.00-12	6	24.9	9.8	28	7	420	Tubeless
544009	Front/Rear	26X10.00-12	6	25.9	9	39	7	460	Tubeless
544010	Front/Rear	26X12.00-12	6	25.9	11.4	39	7	520	Tubeless
544013	Front/Rear	27X10.00-12	6	26.9	9	39	7	520	Tubeless
544015	Front/Rear	27X12.00-12	6	26.9	11.4	39	7	660	Tubeless



This tire combines an aggressive tread pattern with deep wrap-around shoulder lugs to provide uncompromising performance and traction. This 8-ply rated all-terrain radial is constructed with a zig-zag center ridge-line for superior puncture resistance and enhanced rider comfort.

GBC | Grim Reaper



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
544500	Front/Rear	25X8.00R12	8	25	8.5	30	7 to 12	340 to 480	Tubeless
544505	Front/Rear	25X10.00R12	8	25.3	9.5	28	7 to 12	420 to 580	Tubeless
544510	Front/Rear	26X10.00R12	8	25.98	8.9	28	7 to 12	440 to 595	Tubeless
544515	Front/Rear	26X12.00R12	8	25.98	11.1	28	7 to 12	520 to 735	Tubeless
544520	Front/Rear	26X9.00R14	8	25.98	8.1	30	7 to 14	700 to 1000	Tubeless
544525	Front/Rear	26X11.00R14	8	25.98	10.7	30	7 to 14	730 to 1045	Tubeless
544530	Front/Rear	27X9.00R14	8	27.3	8.5	30	7 to 14	750 to 1075	Tubeless
544535	Front/Rear	27X11.00R14	8	27.3	10.8	30	7 to 14	780 to 1120	Tubeless



This performance ATV tire is specifically designed to conquer mud and other tough terrains. Its aggressive tread design delivers superior traction while the radial 8-ply rated carcass construction puts more rubber on the ground for a larger footprint and a smoother, more comfortable ride.

GBC | Spartacus



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
544500	Front/Rear	25X8.00R12	8	25	8.5	30	7 to 12	340 to 480	Tubeless
544505	Front/Rear	25X10.00R12	8	25.3	9.5	28	7 to 12	420 to 580	Tubeless
544510	Front/Rear	26X10.00R12	8	25.98	8.9	28	7 to 12	440 to 595	Tubeless
544515	Front/Rear	26X12.00R12	8	25.98	11.1	28	7 to 12	520 to 735	Tubeless
544520	Front/Rear	26X9.00R14	8	25.98	8.1	30	7 to 14	700 to 1000	Tubeless
544525	Front/Rear	26X11.00R14	8	25.98	10.7	30	7 to 14	730 to 1045	Tubeless
544530	Front/Rear	27X9.00R14	8	27.3	8.5	30	7 to 14	750 to 1075	Tubeless
544535	Front/Rear	27X11.00R14	8	27.3	10.8	30	7 to 14	780 to 1120	Tubeless



Based on the X-Rex, this tire has a newly reinforced bead that provides a better seal and improved durability. It features a reshaped profile to improve steering and control. Additionally, new rubber compounds offer better traction and puncture-resistance.

GBC | XC-Master



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
546015	Front	21X7.00-10	6	21.3	7	15	7	235	Tubeless
546017	Front	22X7.00-10	6	22	6.9	15	7	255	Tubeless
546025	Front	23X7.00-10	6	23	7	15	7	275	Tubeless
546000	Rear	20X11.00-9	6	20	11	15	7	341	Tubeless
546005	Rear	22X11.00-9	6	22	11.2	6	7	370	Tubeless
546010	Rear	20X11.00-10	6	20	10.8	15	5	330	Tubeless
546020	Rear	22X11.00-10	6	22.4	10.8	15	7	370	Tubeless



This is the first true all-purpose DOT tire built specifically for side-by-side UTVs. This tire's tread is optimized for peak performance on multiple surfaces. It can handle a variety of off-road terrain while remaining equally safe and suitable for use on paved surfaces. The 8-ply DOT approved radial boasts a 1,000 lb. load rating and an equally impressive 87 MPH "N" speed rating.



GBC | Kanati Mongrel

Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
545000	Front/Rear	AT26X10R12	8	26	10	21	14	600	Tubeless
545005	Front/Rear	AT28X10R14	8	28.1	9.6	19	14	600	Tubeless
545010	Front/Rear	AT30X10R14	8	30	10	19	14	600	Tubeless
545015	Front/Rear	AT28X10R15	8	28.1	10.1	19	14	600	Tubeless
545020	Front/Rear	AT30X10R15	8	30	9.6	20	14	600	Tubeless



This tire combines an aggressive tread pattern with deep wrap-around shoulder lugs to provide uncompromising performance and traction. This 8-ply rated all-terrain radial is constructed with a zig-zag center ridge-line for superior puncture resistance and enhanced rider comfort.



Titan | 489 X/T

Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
546505	Front	23X7.00-10	6	23	7	19	7	275	Tubeless
546510	Front	23X8.00-10	6	23.2	8	19	7	300	Tubeless
546530	Front	23X8.00-11	6	23.5	7.6	19	7	200	Tubeless
546535	Front	24X8.00-11	6	24	8	19	7	320	Tubeless
546550	Front	23X8.00-12	6	23.2	7.4	19	7	280	Tubeless
546560	Front	24X8.00-12	6	24.2	7.5	18	7	310	Tubeless
546565	Front	24X9.00-12	6	23.8	9	19	7	355	Tubeless
546575	Front	25X8.00-12	6	25.1	7.5	19	7	340	Tubeless
546500	Rear	22X11.00-10	6	22.1	10.6	19	7	385	Tubeless
546515	Rear	23X10.00-10	6	23.1	9.8	19	7	375	Tubeless
546520	Rear	24X11.5-10	6	24.1	11.3	19	7	480	Tubeless
546525	Rear	25X11.00-10	6	25.3	10.9	19	7	455	Tubeless
546540	Rear	24X9.00-11	6	24.2	9.1	19	7	365	Tubeless
546545	Rear	24X10.00-11	6	24.1	10.1	19	7	395	Tubeless
546555	Rear	23X10.00-12	6	23.1	9.2	19	7	365	Tubeless
546570	Rear	24X11.00-12	6	24.3	10.3	19	7	430	Tubeless
546580	Rear	25X10.00-12	6	25.2	10.5	19	7	420	Tubeless
546585	Rear	25X11.00-12	6	25.3	10.9	19	7	455	Tubeless
546590	Rear	26X10.00-12	6	25.8	10.1	19	7	440	Tubeless



This tire is designed for the serious ATV enthusiast. Stepped lugs provide lug strength and stability, and it also features the deepest lug depth available. American engineered, manufactured and owned.

Titan | 589 M/T



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
547010	Front	25X8.00-12	6	24.9	7.9	33	7	420	Tubeless
547005	Rear	25X12.00-10	6	25.4	11.5	36	7	495	Tubeless
547015	Rear	25X10.00-12	6	25.4	9.8	36	7	340	Tubeless



This tire is developed specifically to address the demands of maneuverability. The center V-lug provides straight-ahead traction, while the S-knob cleats offer side-bite on loose pack surfaces. American engineered, manufactured and owned.

Titan | Fast Trekker



Item #	Type	Size	Ply	Outside Diameter	Section Width	Tread Depth (32nds)	PSI	Max Load (lbs.)	Tire Type
547495	Front	20X7.00-8	3*	20.3	7.4	16	7	240	Tubeless
547500	Front	21X8.00-9	3*	20.2	7.4	16	7	240	Tubeless
547505	Front	21X7.00-10	3*	20.4	7	16	7	235	Tubeless
547510	Front	22X8.00-10	3*	21.8	8.2	16	7	275	Tubeless
547515	Rear	22X11.00-10	3*	22	11	16	7	385	Tubeless